



भारत का राजपत्र The Gazette of India

असाधारण

EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (i)

PART II—Section 3—Sub-section (i)

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY



सं. 296]

नई दिल्ली, बुधवार, मई 24, 2000/ज्येष्ठ 3, 1922

No. 296]

NEW DELHI, WEDNESDAY, MAY 24, 2000/JYAISTHA 3, 1922

उपभोक्ता मामले और सार्वजनिक वितरण मंत्रालय

(उपभोक्ता मामले विभाग)

अधिसूचना

नई दिल्ली, 24 मई, 2000

सा.का.नि. 492(अ).— केन्द्रीय सरकार, बाट और माप मानक अधिनियम, 1976 § 1976 का 60 § की धारा 83 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए बाट और माप मानक § माडल अनुमोदन § नियम, 1987 का और संशोधन करने के लिए निम्नलिखित नियम बनाती है, अर्थात् :-

1. § 1 § इन नियमों का संक्षिप्त नाम बाट और माप मानक § माडल अनुमोदन § संशोधन नियम, 2000 है ।

§ 2 § ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे ।

2. बाट और माप मानक § माडल अनुमोदन § नियम, 1987 में -

§ 1 § नियम 2 में, -

§ i § खंड § ग § में " तकनीकी विशेषताएं और क्वालिटी प्रदान करते हैं," शब्दों के पश्चात् " जो अधिनियम और उसके अधीन बने नियमों में परिभाषित हैं," शब्द अंतःस्थापित किए जाएंगे ।

§ ii § खंड § घ § के पश्चात् निम्नलिखित खंड अंतः स्थापित किया जाएगा, अर्थात् :-

" § ड. § प्रधान अधिकारी से ऐसा अधिकारी अभिप्रेत है जो प्रयोगशाला का भार साधक अधिकारी है ।"

§ 2 § नियम 3 में, उप नियम § 1 § के स्थान पर निम्नलिखित उपनियम रखा जाएगा, अर्थात्:-

" § 1 § मान्यता प्राप्त प्रयोगशालाओं की सूची समय-समय पर अधिसूचित की जाएगी ।"

3. नियम 4 में, -

॥ 1 ॥ उपनियम ॥ 1 ॥ के स्थान पर निम्नलिखित उप नियम रखा जाएगा, अर्थात् :-

"॥ 1 ॥ ऐसी प्रत्येक प्रयोगशाला को इन नियमों के अधीन किसी बाट या माप के माडल के अनुमोदनार्थ परीक्षण करने के लिए मान्यता अभिप्राप्त करने की इच्छुक है, समय-समय पर अधिसूचित प्ररूप पर निदेशक को आवेदन करेगी ।"

॥ II ॥ उपनियम ॥ 3 ॥ में, खंड ॥ च ॥ के पश्चात् निम्नलिखित खंड अंतःस्थापित किया जाएगा, अर्थात् :-

"॥ छ ॥ अपने पास उस परिमाण/क्षेत्र में जिसमें माडल का परीक्षण किया जाने का प्रस्ताव है, राष्ट्रीय प्रयोगशाला प्रत्यापन बोर्ड ॥ एन ए बी एल ॥ द्वारा जारी प्रमाण पत्र रखती है ।"

॥ III ॥ उपनियम ॥ 8 ॥ के स्थान पर निम्नलिखित उप नियम रखे जाएंगे, अर्थात् :-

"॥ 8 ॥ निदेशक या उसका प्राधिकृत अधिकारी जब भी अपेक्षित हो प्रयोगशाला का निरीक्षण कर सकेगा और प्रधान अधिकारी निरीक्षणों की अनुज्ञा देगा और उक्त प्रयोजन के लिए सभी सहायता देगा जिसके अंतर्गत माडल के परीक्षण करने के संबंध में अभिलेखों का प्रस्तुत करना भी है ।

॥ 9 ॥ प्रधान अधिकारी उनके द्वारा परीक्षित माडलों, एकत्र की गई फीस, प्रत्येक परीक्षण के लिए लगा समय और ऐसी अन्य विशिष्टियों की बाबत एक रिपोर्ट निदेशक को प्रतिवर्ष भेजेंगे ।

॥ 10 ॥ प्रधान अधिकारी माडलों के परीक्षण के लिए ऐसी प्रक्रिया अपनाएगा जो निदेशक द्वारा समय-समय पर विहित की जाए ।

॥ 11 ॥ यदि प्रयोगशाला की परिस्थितियां ऐसी हैं कि मान्यताप्राप्त प्रयोगशाला के रूप में उसके ठीक से कार्य करते रहने की युक्ति युक्त रूप से प्रत्याशा नहीं की जा सकती है या संदेह करने के लिए पर्याप्त कारण है कि प्रयोगशाला भ्रष्ट आचरण के लिए दोषी है तो प्रयोगशाला की अनुदत्त मान्यता प्रमाण-पत्र निदेशक द्वारा रद्द किया जा सकेगा ।

परन्तु मान्यता प्रमाणपत्र का रद्दकरण, प्रयोगशाला को प्रस्तावित कार्यवाही के विरुद्ध कारण दर्शित करने का उचित अवसर दिए बिना, नहीं किया जाएगा ।"

4. नियम 5 में, -

॥ i ॥ उपनियम ॥ 1 ॥ में, -

॥ क ॥ खंड ॥ क ॥ के स्थान पर निम्नलिखित खंड रखा जाएगा, अर्थात् :-

"॥ क ॥ आवेदक का पूरा नाम और पता या जहां माडल अन्य देशों से आयातित है वहां विनिर्माता तथा भारत में व्यवहारी का नाम और पता ।"

॥ ख ॥ खंड ॥ ड. ॥ के स्थान पर निम्नलिखित खंड रखा जाएगा, अर्थात् :-

"॥ ड. ॥ बाट या माप का व्यापारिक नाम या ब्रांड नाम और प्रकार ।"

॥ II ॥ उपनियम ॥ 2 ॥ में, -

«क» खंड «ख» के उपखंड «जा» के स्थान पर निम्नलिखित उपखंड रखा जाएगा, अर्थात् :-

«जा» माडल के अनुमोदन प्रमाणपत्र के भाग रूप में समाविष्ट आज्ञापक घोषणाएं स्पष्ट रूप से उपदर्शित करने वाले माडल के दो फोटो चित्र ।"

«ख» उपखंड «जा» के स्थान पर निम्नलिखित उपखंड रखे जाएंगे, अर्थात् :-

«जा» वास्तविक परिधि आरेख «अंकीय प्रकार के लिए»

«जा» उपकरण पर वह स्थान/वे स्थान जहां कपटपूर्ण व्यवहार रोकने के लिए सत्यापन स्टॉप या मुद्रा या दोनों को प्रयुक्त किया जाना है ।

«ख» उपभोक्ता की निर्देशिका, मुद्रित पुस्तिका अन्य साहित्यों की प्रतियां ।"

«ख» अन्य कोई जानकारी जिसे आवेदक माडल के अनुमोदन को सफल बनाने और उसके कार्य निर्धारण के लिए उपयोगी समझे ।"

5 नियम 6 में, -

«1» उप नियम «1» के स्थान पर निम्नलिखित रखा जाएगा अर्थात् :-

«1» यदि कोई व्यक्ति «जिसे इसमें इसके पश्चात् आवेदक कहा गया है» किसी बाट या माप का माडल अनुमोदनार्थ प्रस्तुत करता है तो वह मान्यताप्राप्त प्रयोगशाला के जमाखाने में, इस अधिनियम के अधीन विहित अधिकतम फीस के अधीन रहते हुए समय-समय पर निदेशक द्वारा विनिर्दिष्ट दर पर अवधारित फीस जमा करेगा ।

«1» «क» नियम 5 में निर्दिष्ट सभी दस्तावेज निदेशक द्वारा उस मान्यता प्राप्त प्रयोगशाला को भेजे जाएंगे जो माडल के अनुमोदनार्थ परीक्षण करती है जिससे वह प्रयोगशाला वह अभिनिश्चय करने में समर्थ हो सके कि ऐसे दस्तावेज उस माडल के अनुमोदनार्थ उसके द्वारा किए गए परीक्षणों के परिणामों के व्यौरों के अनुरूप हैं या नहीं ।"

«1» उपनियम «2», «3» और 4 का लोप किया जाएगा ।

«1» उप नियम «5» के स्थान पर निम्नलिखित उपनियम रखा जाएगा, अर्थात् :-

«5» जहां बाट व माप की प्रकृति ऐसी है कि उसकी विपुल आयतनी प्रकृति के कारण उसे परीक्षण के लिए प्रयोगशाला में प्रस्तुत नहीं किया जा सकता वहां मान्यता प्राप्त प्रयोगशाला ऐसे माडल का ऐसे स्थान में, जैसा वह ठीक समझे, परीक्षण कर सकेगी ;

परन्तु यदि परीक्षण किसी मान्यता प्राप्त प्रयोगशाला से भिन्न किसी परिसर में किया जाता है तो आवेदक, ऐसे परीक्षण की अवधि के लिए ऐसे परीक्षणों के लिए प्रतिनियुक्त व्यक्तियों का यात्रा और दैनिक भत्ता संदत्त करेगा और ऐसे भत्ते, उन दरों पर संदेह होंगे जो ऐसे व्यक्तियों को उस मान्यता प्राप्त प्रयोगशाला में प्रवृत्त नियमों के अनुसार अनुज्ञेय हैं ।"

«10» उपनियम «10» के स्थान पर निम्नलिखित उपनियम रखा जाएगा, अर्थात् :-

«10» यदि निदेशक का यह समाधान हो जाता है कि किसी माडल के अनुमोदनार्थ परीक्षण में तीन मास से अधिक समय लगने की संभावना है और प्रयोगशाला से समाधानप्रद प्रारंभिक रिपोर्टें प्राप्त हो

जाती हैं तो वह प्रमाणपत्र में विनिर्दिष्ट शर्तों के अधीन रहते हुए, विनिर्माता को, उसके जोखिम पर ऐसे बाट या माप के विनिर्माण के लिए समर्थ बनाने के लिए जिसका माडल अनुमोदन के लिए प्रस्तुत किया गया है एक अनंतिम प्रमाणपत्र जारी कर सकेगा ।

परन्तु जब निदेशक द्वारा अनंतिम माडल प्रमाणपत्र वापस ले लिया जाता है तो ऐसे उपकरण का विनिर्माण, वितरक या विक्रय तुरंत बंद कर दिया जाएगा ।

परन्तु यह और कि यदि परीक्षित माडल, माडल अनुमोदन परीक्षण की अपेक्षाओं को पूरा नहीं करता है तो अनंतिम प्रमाण पत्र के अंतर्गत आने वाले और बाजार में बेचे गए सभी उपकरण विनिर्माता की लागत पर तुरंत प्रभाव से वापस ले लिए जाएंगे ।-

6. नियम 7 में, -

«i» उपनियम «1» में, -

«क» खंड «क» में "इस अधिनियम "शब्दों के परचात" और इन नियमों या अंतर्राष्ट्रीय विधिक माप विज्ञान संगठन «ओ आई एम एल» की सिफारिशों" शब्द अंतःस्थापित किए जाएंगे ।

«ख» खंड «ब» के स्थान पर निम्नलिखित खंड रखे जाएंगे", अर्थात :-

"«ड.» यह अवधारणा करना है कि वे अधिनियम और नियमों के अधीन अपेक्षित आज्ञापक घोषणाएं वहन करते हैं या नहीं ;

«ब» यह अवधारण करता है कि उपकरण पर मुद्रा लगाने के लिए जो स्थान विनिर्माता द्वारा सुझाया गया है वह उनके कपटपूर्ण प्रयोग को निवारित करने के लिए पर्याप्त है या नहीं ;

«छ» साधारणतः माडल की क्रिया का अवधारण करना है अर्थात, उसकी दृढ़ता, विश्वसनीयता और कपटपूर्ण प्रयोग के लिए उसका ग्रहणशीलत्व ।"

7. नियम 8 में, उपनियम «2» के परचात निम्नलिखित उपनियम अंतःस्थापित किया जाएगा, अर्थात :-

"«2 क» निदेशक मान्यताप्राप्त प्रयोगशाला से यह अपेक्षा कर सकेगा कि वह प्रयोगशाला, संबद्ध माडल के अनुमोदन के लिए अपनाई गई विस्तृत परीक्षण प्रक्रिया उसके पास भेजे ।

8. नियम 11 में,

«i» उपनियम «1» में खंड «ब» के परचात निम्नलिखित खंड अंतःस्थापित किया जाएगा, अर्थात :-

"«छ» वह स्थान या वे स्थान जहां मुद्रा या स्टाम्प या दोनों को छिपकाया जा सकता है ।" ;

«ii» उपनियम «3» के परचात निम्नलिखित उपनियम अंतःस्थापित किया जाएगा, अर्थात :-

"«4» निदेशक आवश्यक माडल प्रमाणपत्र निम्नलिखित उपनियम अंतःस्थापित किया जाएगा, अर्थात :-

"«4» निदेशक आवश्यक माडल प्रमाणपत्र राजपत्र में प्रकाशन के लिए भेजेगा ।

॥5॥ निदेशक पूर्वगामी उपनियम में निर्दिष्ट जानकारी जरनल में भी यदि केंद्रीय सरकार कोई जरनल प्रकाशित करती है, प्रकाशनार्थ भेजेगा ।"

9. नियम 13 का लोप किया जाएगा ।

10. नियम 14 में, खंड घ के पश्चात् निम्नलिखित खंड अंतःस्थापित किया जाएगा, अर्थात् :-

"॥ड॥ जहां विनिर्माता या किसी अन्य व्यक्ति से माडल का अनुमोदित डिजाइन या परिधि आरेख को महत्वपूर्ण रूप से परिवर्तित कर दिया है ।"

11. नियम 15 में, उपनियम ॥3॥ के स्थान पर निम्नलिखित उपनियम रखा जाएगा, अर्थात् :-

"॥3॥ यदि उपनियम ॥1॥ के अधीन अनुमोदन प्रमाण पत्र निलंबित कर दिया गया है तो संबद्ध राज्य के विधिक माप विज्ञान नियंत्रक द्वारा विद्यमान स्टॉक की एक सूची तैयार की जाएगी, वह यह भी सुनिश्चित करेगा कि जब तक निदेशक द्वारा अनुमोदन प्रमाणपत्र की निलंबन का प्रतिसंहरण नहीं कर दिया जाता है, कोई और विक्रय नहीं किया जाएगा ।"

12. नियम 16 में "नियम 13" शब्द और अंकों के स्थान पर "नियम 11" शब्द और अंक रखे जाएंगे ।

13. नियम 17 में उपनियम ॥1॥ का लोप किया जाएगा ।

14. नियम 18 का लोप किया जाएगा ।

15. नियम 20 में उपनियम ॥4॥ के स्थान पर निम्नलिखित उपनियम रखा जाएगा, अर्थात् :-

"प्रतिस्थापी सामग्री के परीक्षण की फीस विनिर्माता द्वारा ऐसी दरों पर संदेह होगी जो समय-समय पर निदेशक द्वारा विनिर्दिष्ट की जाए ।"

16. पहली अनुसूची, दूसरी अनुसूची और तीसरी अनुसूची का लोप किया जाएगा ।

[फा. सं. डब्ल्यू एम 9(7)/99]

एस. नौटियाल, अपर सचिव

टिप्पण :- मूल नियम साठ काठ नि० सं. 1003 ॥अ॥ तारीख 22 दिसम्बर 1987 द्वारा अधिसूचित किए गए थे और पश्चात्तर्ती संशोधन साठकाठनि० सं. 71 ॥अ॥ तारीख 16 फरवरी, 1995 द्वारा किया जाएगा ।

MINISTRY OF CONSUMER AFFAIRS & PUBLIC DISTRIBUTION**(Department of Consumer Affairs)****NOTIFICATION**

New Delhi, the 24th May, 2000

GSR. 492(E).— In exercise of the powers conferred by section 83 of the Standards of Weights and Measures Act, 1976 (60 of 1976), the Central Government hereby makes the following rules further to amend the Standards of Weights and Measures (Approval of Models) Rules, 1987, namely:-

1. (1) These rules may be called the Standards of Weights and Measures (Approval of Models) Amendment Rules, 2000.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. In the Standards of Weights and Measures (Approval of Models) Rules, 1987,-

(1) in rule 2,-

(i) in clause (c) after the words “technical characteristics and qualities”, the words “as defined in the Act and the Rules made there under” shall be inserted.;

(ii) after the clause (d), the following clause shall be inserted, namely:-

“(e) “Principal Officer” means the officer who is in charge of the laboratory.”

(2) in rule 3, for sub-rule (1), the following sub-rule shall be substituted, namely:-

“(1) The list of recognized laboratories shall be notified from time to time.”

3. In rule 4,-

(i) for sub-rule (1), the following sub-rule shall be substituted, namely:-

“(1) Every laboratory desirous of obtaining recognition under these rules for carrying out tests for the approval of the model of any weight or measure shall make an application to the Director in the form as shall be notified from time to time.”

(ii) in sub-rule (3), after clause (f), the following clause shall be inserted, namely:

“(g) Whether they have the certificate issued by the National Accreditation Board of Laboratories (NABL) in the parameter/field in which model test is proposed to be undertaken.”;

(iii) for sub-rule (8) the following sub-rules shall be substituted, namely:-

“(8) The Director or his authorized officer may visit the laboratory as and when required and the Principal Officer will permit inspections and render all assistance for the purpose including the production of records with regard to model testing.

(9) The Principal Officer shall submit annually to the Director a report in respect of the models tested by them, the fee collected, time taken for each testing and such other relevant particulars.

(10) The Principal Officer, while testing the models adopt such procedures as may be prescribed by the Director from time to time.

(11) The certificate of recognition granted to a laboratory may be cancelled by the Director if the circumstances of the laboratory are such that it cannot be reasonably expected to function properly as a recognized laboratory or if there are sufficient reasons to suspect that the laboratory has been guilty of corrupt practices.

Provided that no certificate of recognition shall be cancelled except after giving to the concerned laboratory a reasonable opportunity of showing cause against the proposed action.”

4. in rule 5,

(i) in sub-rule (1),-

(a) for clause (a), the following clause shall be substituted, namely:-

“(a) the full name and address of the applicant or where the model is imported from other countries, the name and address of the manufacturer as well as the dealer in India.”

(b) for clause (e), the following clause shall be substituted, namely:-

“(e) trade name or brand name and type of the weight or measure.”

(ii) in sub-rule (2),-

(a) for sub-clause (vi) of clause (b), the following sub-clause shall be substituted, namely.-

“(vi) two photographs of the model clearly indicating the mandatory declarations to be included as a part of the certificate of approval of the model.”

(b) for sub-clause (vii), the following sub-clauses shall be substituted, namely:-

“(vii) actual circuit diagram (for digital type).

(viii) place/places on the instrument where the verification stamp or seal or both have to be applied to prevent fraudulent practices.

(ix) copies of the user's manual, printed pamphlets and other literatures.”

(x) any other information which the applicant may consider to be useful for assessing the performance, and facilitating the approval of the model.”

5. in rule 6,

(i) for sub-rule (1), the following shall be substituted, namely.-

“(1) Every person, who submits any model of weight or measure for approval (hereinafter in this rule referred to as, the applicant), shall deposit to the credit of the recognized laboratory, a fee determined at the rate specified by the Director from time to time, subject to the maximum prescribed under the Act;

(1A) All the documents referred to in rule 5 shall be sent by the Director to the recognized laboratory which carries out the tests for the approval of the model, to enable the laboratory to ascertain whether such documents conform to the details of the results of the tests carried out by it for the approval of that model.”

(ii) sub-rule (2), (3) and (4) shall be omitted.

(iii) for sub-rule (5), the following sub-rule shall be substituted, namely:-

“(5) Where the nature of weight or measure is such that due to its voluminous nature it cannot be submitted to the laboratory for testing, the recognized laboratory may under take the testing of such model at such place as it may deem fit:

Provided that, where the test is undertaken at any premises other than those of a recognized laboratory, the applicant shall pay for the duration of such test, the traveling and daily allowances of the persons deputed for such tests and such allowances shall be payable at such rates as may be admissible to such persons in accordance with the rules in force in the recognized laboratory.”

(iv) for sub-rule (10), the following sub-rule shall be substituted, namely:-

“(10) The Director may, if he is satisfied that the test for the approval of any model is likely to take more than three months and on receipt of satisfactory preliminary test reports from the laboratory, issue subject to such conditions as may be specified in the certificate, a provisional certificate to enable the manufacturer, to manufacture at his own risk the weight or measure in relation to which the model has been submitted for approval:

Provided that manufacture, distribution or sale of such instrument shall be discontinued immediately when the provisional model approval certificate has been withdrawn by the Director.

Provided further that in case the tested model does not meet the requirements of the model approval test, all instruments covered by the provisional certificate and sold in the market shall be withdrawn with immediate effect at the manufacturer's cost.”

6. In rule 7,-

(i) in sub-rule (1),-

(a) in clause (a) after the words “under the Act”, the words “and the Rules or to the recommendations of the International Organization of Legal Metrology (OIML)” shall be inserted.

(b) for clause (e), the following clauses shall be substituted, namely.-

- “(e) determining whether they carry the mandatory declarations required under the Act and the Rules;
- (f) determining whether the place or places of sealing on the instrument suggested by the manufacturer is sufficient to prevent their fraudulent use;
- (g) determining generally, the behavior of the model, that is to say, its robustness, reliability and susceptibility to fraudulent use.”.

7. In rule 8, after sub-rule (2), the following sub-rule shall be inserted, namely:-

“(2A) The Director may require the recognized laboratory to send to him the detailed test procedure adopted by that laboratory in approving the concerned model.”

8. In rule 11,

(i) in sub-rule (1), after clause (f), the following clause shall be inserted, namely.-

“(g) the place or places where the verification seal or stamp or both may be affixed.”;

(ii) after sub-rule (3), the following sub-rules shall be inserted, namely:

“(4) The Director shall cause the necessary model certificate to be published in the official Gazette.

(5) the Director may also cause the information referred to in the foregoing sub-rules to be published in the journal, if any, published by the Central government.”

9. Rule 13 shall be omitted.

10. In rule 14, after clause (d) the following clause shall be inserted, namely:-

“(e) where the manufacture or any other person has significantly altered the approved design of the model or the circuit diagram.”.

11. In rule 15, for sub-rule (3) the following sub-rule shall be substituted, namely.-

“(3) Where the certificate of approval has been suspended under sub-rule (1), an inventory of the existing stock shall be made by the Controller of Legal Metrology of the Concerned State. He will also ensure that no further sale will be made unless the suspension of the certificate of approval is revoked by the Director.”

12. In rule 16, for the words and figure “rule 13” the words and figure “rule 11” shall be substituted.

13. In rule 17, sub-rule (1) shall be omitted.

14. Rule 18 shall be omitted.

15. In rule 20, for sub-rule (4) the following sub-rule shall be substituted, namely.-

“ Fees for testing the substitute material shall be payable by the manufacturer at such rates as may be specified by the Director from time to time.”

16. The First Schedule, Second Schedule and Third Schedule shall be omitted.

[F. No. WM 9(7)/99]

S. NAUTYAL, Addl. Secy.

Note : The Principal rules were notified vide GSR No. 1003 (E) dated the 22nd December 1987 and subsequently amended vide GSR No. 71(E) dated 16th February, 1995.